

## (FCSC-HD) FastClip™ Slide Clip w/ Anchor Hole

### 14 Gauge 6" long vertical slide deflection clip

ClarkDietrich FCSC-HD 68mils (14ga) is used to attach exterior curtainwall studs to the building concrete structure and provide for vertical building movement independent of the cold-formed steel framing.

FastClip Deflection™ Screws are provided with each clip for attachment to the wall studs and allow for 3" vertical deflection (1-1/2" up and down) to ensure friction-free sliding. A 3/8" hole in the short leg of the clip allows for a 1/2" concrete anchor to be attached to the slab.

#### Product Data & Ordering Information:

Material	Structural Grade 50 Type H (ST50H), 50ksi (340MPa)
Dimensions	1-1/2" x 6" x 4" (38.1mm x 152.4mm x 101.6mm)
Thickness	14ga (68mil), 0.0713" Design thickness, 0.0677" Min. thickness
Coating	G90 (Z275) hot-dipped galvanized coating
Product weight	0.860 lb/piece
Packaging	25 pieces per bucket. Includes 80 FastClip deflection screws per box.


#### ASTM & Code Standards:

- Sheet steel meets or exceeds requirements of ASTM A1003
- Galvanized coating meets or exceeds requirements of ASTM A653
- SDS & Product Certification Information available at [www.clarkdietrich.com/SupportDocs](http://www.clarkdietrich.com/SupportDocs)

#### 05.40.00 (Cold-Formed Metal Framing)



- Vertical movement up to 3" (1-1/2" up and 1-1/2" down).
- FastClip™ Deflection Screws (included) provide frictionless slip connection.



FastClip  
Deflection Screws  
(For Stud Connection)

#### Sustainability Credits:

For more details and LEED letters contact Technical Services at 888-437-3244 or visit [www.clarkdietrich.com/LEED](http://www.clarkdietrich.com/LEED)

**LEED v4 MR Credit** -- Building Product Disclosure and Optimization: EPD (1 point) - Sourcing of Raw Materials (1 point) - Material Ingredients (1 point) - Construction and Demolition Waste Management (up to 2 points) - Innovation Credit (up to 2 points).

**LEED 2009 Credit MR 2 & MR 4** -- ClarkDietrich's steel products are 100% recyclable and have a national average recycled content of 34.2% (19.8% post-consumer and 14.4% pre-consumer). If seeking a higher number to meet Credit MR 5, please contact us at ([info@clarkdietrich.com](mailto:info@clarkdietrich.com) / 888-437-3244)

#### Project Information

Name:  
Address:

#### Contractor Information

Name:  
Contact:  
Phone:  
Fax:

#### Architect Information

Name:  
Contact:  
Phone:  
Fax: