05.40.00 (Cold-Formed Metal Framing)



## 11-1/4" TradeReady® Floor Joist (1125TDJ24-175-54)

## Floor Joist with extruded holes

## **Geometric Properties**

Web depth (A): 11.25 in Flange width (B): 1.75 in Extruded hole spacing: 24 in Extruded hole shape: Ellipse Extruded hole Height: 6.25" Extruded hole width: 9"

Design thickness: 0.0566 in Min. steel thickness: 0.0538 in Yield stress, Fy: 50 ksi

Coating: CP60

Gross Section Properties of Full Section	
Cross sectional area	0.882 in <sup>2</sup>
Member weight per foot of length	2.886 lbs/ft
Moment of inertia (lx)	14.162 in <sup>4</sup>
Radius of gyration (Rx)	4.008 in
Gross moment of inertia (ly)	0.279 in <sup>4</sup>
Gross radius of gyration (Ry)	0.563 in
Net Section Properties (at Ext	ruded Hole)
Cross sectional area (A net)	0.597 in <sup>2</sup>
Moment of inertia (lx net)	13.694 in <sup>4</sup>
Radius of gyration (Rx net)	4.791 in
Net moment of inertia (ly net)	0.228 in <sup>4</sup>
Net radius of gyration (Ry net)	0.618 in
Allowable Capacities (Fully	Braced)
Local Moment at Full Section (Mal-full)	48.89 in-kips
Distortional Moment at Full Section (Mad-full)	48.46 in-kips
Local Moment at Knockout (Mal-kno)	72.89 in-kips
Distortional Moment at Knockout (Mad-kno)	43.75 in-kips
Shear at Knockout (Va-kno)	1328 lbs
Shear at Full Section (Va-full)	1471 lbs
Torsional Section Prope	erties
Distance between centroid and shear-center (Xo)	-0.899 in
Distance between centroid and web-centerline (X)	0.303 in
St. Venant torsional constant (J*1000)	0.942 in <sup>4</sup>
Torsional warping constant (Cw)	7.319 in <sup>6</sup>
Radii of gyration (Ro)	4.148 in
Torsional flexural constant (Beta)	0.953
Unbraced Length (Lu)	34.6 in
Effective Section Prope	erties
Moment of inertia (Ixe)	13.019 in <sup>4</sup>
Section modulus (Sxe)	1.633 in <sup>3</sup>

## **Code Approvals & Performance Standards**

- AISI S100-16 (2020) w/S2-20 North American Specification for the Design of Cold-Formed Steel Structural Members
  - o Direct Strength Method (DSM) utilized for calculating flexural strength
- AISI S240-15 North American Standard for Cold-Formed Steel Structural Framing
  - o Section A3 Material Chemical & mechanical requirements (Referencing ASTM A1003/A1003M)
  - Section A4 Corrosion Protection (Referencing ASTM A653/A653M)
  - o Section A5 Products Thickness, shapes, tolerances, identification
- SDS For ASTM A1003 Steel Framing Products For Interior Framing, Exterior Framing and Clips/Accessories





