

Stone Veneer, Stucco 09.22.36 (Metal Lath)

# Paper-Backed (APB) Dimple Self-Furring Lath

#### Galvanized expanded steel plaster/stucco base

A superior mesh multi-purpose expanded steel base with an approved Grade-D weather resistant barrier attached. Application of asphalt paper-backed (APB) metal lath is used behind stone, traditional stucco, and tile installations as a code compliant weather resistant barrier. It provides protection against wet areas during stucco curing. Paper-Backed Lath comes in flat and self-furring configurations to accommodate your installation needs.

APB is available with Diamond Metal Lath, Self-Furring Dimple Lath and Self-Furring V-Groove Lath.

Optional 60-minute Grade-D paper available for higher weather resistance and durability.

The asphalt paper-backed weather resistant barrier meets Federal Specification UUB790A: Type 1, Grade-D, Style 2 and is printed on the face of the paper for easy identification.

## **Product Data & Ordering Information:**

Material: G60 Galvanized Steel

Type 1, Grade-D, Style 2 Paper **Packaged:** 25 bundles or 250 pieces per pallet

Product Code	Wt. per Sq. Yd.	Sheet Size	Sheets/Bundle	Bundle/Pallet
LAD(O)	2.5 lbs.	27" x 97"	10	25
LAD(O)	3.4 lbs.	27" x 97"	10	25

# **Code Approvals & Performance Standards**

- ASTM A653 Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process
- ASTM C841 Standard Specification for Installation of Interior Lathing and Furring
- ASTM C847 Standard Specification for Metal Lath
- ASTM C1063 Standard Specification for Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster
- Federal Specification UU-B-790A Building Paper, Vegetable Fiber (Kraft, Waterproofed, Water Repellant and Fire resistant)
- Intertek CCRR-0204 Metal Lath Code Compliance Research Report
- SDS For ASTM A653 Steel Finishing Products For Interior Finishing and Exterior Finishing

#### Storage:

All stored materials shall be kept dry and out of the weather. Materials shall be stacked off the ground, supported on a level platform, and protected from the weather and surface contamination per ASTM C847 & C1063. Paper-backed lath should not be stored outside where ran water can become trapped between sheets, thereby oxidizing the metal.

### **Limitations:**

Galvanized steel products should not be used with magnesium oxychloride cement stucco or Portland cement stucco containing calcium chloride additives.

**Sustainability Credits** For more details and LEED letters contact Technical Services at 888-437-3244 or visit clarkdietrich.com/LEED.

- LEED v4.1 MR Credit: Environmental Product Declarations: EPD (1 point) Sourcing of Raw Materials (up to 2 points) Material Ingredients (1 point) Construction and Demolition Waste Management (up to 2 points)
- LEED v4 MR Credit: Building Product Disclosure and Optimization: EPD (1 point) Sourcing of Raw Materials (1 point) - Material Ingredients (1 point) - Construction and Demolition Waste Management (up to 2 points) - Innovation Credit (up to 2 points).



